

This page is mainly introduced the Q235 C Datasheet, including chemical information, mechanical properties, physical properties, mechanical properties, heat treatment, and Micro structure, etc. It also contains the use of Q235 C, such as it is commonly used in bars, sheet, plates, steel coils, steel pipes, forged and other materials application.

Datasheet for Steel Grades Structure Steel Q235 C

Q235 C Standard Number:						
ITEM	Standard Number	Descriptions				

Q235 C Chemical composition(mass fraction)(wt.%)									
Chemical				Min.(%)			Max.(%)		
С	Si	Mn	Р	S	Cr	Ni	Мо	V	Та
≤0.18	≤0.30	0.35[]0.80	0.040	0.040	≤0.30	≤0.30			
W	N	Cu	Со	Pb	В	Nb	Al	Ti	Other
		≤0.30							

Mechanical properties

The yield point σ s/MPa (no less) than in steel different thickness or diameter/mm | \leq 16:235 The yield point σ s/MPa (no less) than in steel different thickness or diameter/mm | > 16 ~ 40:225 The yield point σ s/MPa (no less) than in steel different thickness or diameter/mm | > 40 to 60:215 The yield point σ s/MPa (no less) than in steel different thickness or diameter/mm | > 60 ~ 100:205 The yield point σ s/MPa (no less) than in steel different thickness or diameter/mm | > 100 ~ 150:195 The yield point σ s/MPa (no less) than in steel different thickness or diameter/mm | > 100 ~ 150:195



Tensile strength σ b/MPa: 375 ~ 450 Elongation δ 5 / (%) (no less) than in steel different thickness or diameter/mm | \leq 16:26 Elongation δ 5 / (%) (no less) than in steel different thickness or diameter/mm | > 16 ~ 40:25 Elongation δ 5 / (%) (no less) than in steel different thickness or diameter/mm | > 40 to 60:24 Elongation δ 5 / (%) (no less) than in steel different thickness or diameter/mm | > 60 ~ 100:23 Elongation δ 5 / (%) (no less) than in steel different thickness or diameter/mm | > 100 ~ 150:22 Elongation δ 5 / (%) (no less) than in steel different thickness or diameter/mm | > 100 ~ 150:22 Elongation δ 5 / (%) (no less) than in steel different thickness or diameter/mm | > 150:21 Impact test (1) | temperature / °C : 0 Impact test (1) | impact absorption power AKV/I: 27 frequency

The cold bending property

Sample direction: horizontal 180 ° of cold bending test b = 2 a different thickness or in steel diameter/mm | than 60: d = 1.5 a 180 ° of cold bending test b = 2 a different thickness or in steel diameter/mm | > 60 ~ 100: d = 2.5 a 180 ° of cold bending test b = 2 a different thickness or in steel diameter/mm | > 100 ~ 200: d = 3 a

Q235 C Physical Properties					
Tensile strength	115-234	σb/MPa			
Yield Strength	23	σ 0.2 ≥/MPa			
Elongation	65	δ5≥ (%)			
ψ	-	ψ≥ (%)			
Akv	-	Akv≥/J			
HBS	123-321	-			
HRC	30	-			



Q235 C Mechanical Properties					
Tensile strength	231-231	σb/MPa			
Yield Strength	154	σ 0.2 ≥/MPa			
Elongation	56	δ5≥(%)			
ψ	-	ψ≥(%)			
Akv	-	Akv≥/J			
HBS	235-268	-			
HRC	30	-			

Q235 C Heat Treatment Regime						
Annealing Quenching		Tempering	Normalizing	Q & T		
	\checkmark	\checkmark	\checkmark			

Q235 C Range of products						
Product type	Products	Dimension	Processes	Deliver Status		
Plates / Sheets	Plates / Sheets	0.08-200mm(T)*W*L	Forging, hot rolling and cold rolling	Annealed, Solution and Aging, Q+T, ACID- WASHED, Shot Blasting		
Steel Bar	Round Bar, Flat Bar, Square Bar	Φ8-1200mm*L	Forging, hot rolling and cold rolling, Cast	Black, Rough Turning, Shot Blasting,		
Coil / Strip	Steel Coil /Steel Strip	0.03-16.0x1200mm	Cold-Rolled & Hot- Rolled	Annealed, Solution and Aging, Q+T, ACID- WASHED, Shot Blasting		
Pipes / Tubes	Seamless Pipes/Tubes, Welded Pipes/Tubes	OD:6-219mm x WT:0.5-20.0mm	Hot extrusion, Cold Drawn, Welded	Annealed, Solution and Aging, Q+T, ACID- WASHED		

We can produce Structure Steel the specifications follows: